

GENERAL ASSEMBLY OF NORTH CAROLINA

SESSION 1993

H

2

HOUSE BILL 556
Committee Substitute Favorable 5/4/93

Short Title: Amend Boiler & Pressure Vessel Act.

(Public)

Sponsors:

Referred to:

March 25, 1993

1 A BILL TO BE ENTITLED
2 AN ACT TO MAKE TECHNICAL AND OTHER CHANGES TO THE UNIFORM
3 BOILER AND PRESSURE VESSEL ACT.

4 The General Assembly of North Carolina enacts:

5 Section 1. G.S. 95-69.9(b) reads as rewritten:

6 "(b) The term 'boiler' shall mean a closed vessel in which water is heated, steam is
7 generated, steam is superheated, or any combination thereof, under pressure or vacuum
8 for use externally to itself by the ~~direct~~ application of heat from the combustion of fuels,
9 or from electricity or nuclear energy. This term 'boiler' shall also include fired units for
10 heating or vaporizing liquids other than water where these units are separate from
11 processing systems and are complete within themselves;"

12 Sec. 2. G.S. 95-69.10(b) reads as rewritten:

13 "(b) This Article shall not apply to:

14 (1) Boilers and pressure vessels owned and/or operated by the
15 federal ~~government~~; government.

16 (2) Pressure vessels used for transportation or storage of
17 compressed gases when constructed in compliance with the
18 specifications of the United States Department of Transportation and
19 when charged with gas marked, maintained, and periodically
20 requalified for use, as required by appropriate regulations of the
21 United States Department of ~~Transportation~~; Transportation.

- 1 (3) ~~To portable boilers and~~ Portable pressure vessels used for agricultural
2 purposes only or for pumping or drilling in an open field for water, gas
3 or coal, gold, talc, or other minerals and ~~metals;~~ metals.
4 (4) Boilers and pressure vessels which are located in private
5 residences or in apartment houses of less than six ~~families;~~ families.
6 (5) Pressure vessels used for transportation or storage of
7 liquified petroleum ~~gas;~~ gas.
8 (6) Air tanks located on vehicles licensed under the rules and
9 regulations of other state authorities operating under rules and
10 regulations substantially similar to those of this State and used for
11 carrying passengers or freight within interstate ~~commerce;~~ commerce.
12 (7) Air tanks installed on right-of-way of railroads and used
13 directly in the operation of ~~trains;~~ trains.
14 (8) Pressure vessels that do not exceed five cubic feet in volume
15 and 250 PSIG pressure; or one and one-half cubic feet in volume and
16 600 PSIG pressure; or an inside diameter of six inches with no
17 limitations on ~~pressure;~~ pressure.
18 (9) Pressure vessels operating at a working pressure not
19 exceeding 15 PSIG ~~pressure;~~ pressure.
20 (10) Pressure vessels with a nominal water capacity of 120
21 gallons or less and containing water under pressure at ambient
22 temperature, including those containing air, the compression of
23 which serves as a ~~Cushion;~~ cushion.
24 (11) Boilers and pressure vessels on railroad steam locomotives
25 that are subject to federal safety ~~regulations;~~ regulations.
26 (12) Repealed by Session Laws 1985, c. 620, s. 2, effective July 5, 1985.
27 (13) Coil-type hot water supply boilers, generally referred to as steam
28 jennies, where the water can flash into steam when released directly to
29 the atmosphere through a manually operated nozzle and where
30 adequate safety relief valves and controls are installed on them,
31 provided none of the following limitations are exceeded:
32 a. There is no drum, header, or other steam space.
33 b. No steam is generated within the coil.
34 c. Maximum 1 inch tube size.
35 d. Maximum 3/4 inch nominal pipe size.
36 e. Maximum 6 gallon nominal water storage capacity.
37 f. Water temperature of 350 degrees fahrenheit.
38 (14) Pressure vessels containing water at a temperature not exceeding 110
39 degrees fahrenheit."

40 Sec. 3. G.S. 95-69.11 reads as rewritten:

41 **"§ 95-69.11. Powers and duties of Commissioner.**

42 The Commissioner of Labor is hereby charged, directed, and empowered:

- 43 (1) To adopt, ~~modify~~ modify, or revoke rules ~~and regulations~~ governing the
44 construction, ~~operation~~ operation, and use of boilers and pressure

vessels, including, where necessary, requirements for fencing to prevent unauthorized persons from coming in contact with boilers and pressure vessels or the systems they are connected ~~to;~~ to.

- (2) To supervise the office of the Director of Boiler and Pressure Vessel ~~Division;~~ Division.
- (3) To enforce rules ~~and regulations~~ adopted under authority of this ~~Article;~~ Article.
- (4) To inspect boilers and pressure vessels covered under this ~~Article;~~ Article.
- (5) To issue inspection certificates to those boilers and pressure vessels found in compliance with this ~~Article;~~ Article.
- (6) To enjoin violations of this Article in the civil and criminal courts of this ~~State;~~ State.
- (7) To keep adequate records of the type, dimensions, age, conditions, pressure allowed upon, ~~location~~ location, and date of the last inspection of all boilers and pressure vessels to which this Article ~~applies;~~ applies.
- (8) To require such periodic reports from inspectors, owners, and operators of boilers and pressure vessels as he deems appropriate in carrying out the purposes of this ~~Article;~~ Article.
- (9) To have free access, without notice, to any location in this State, during reasonable hours, where a boiler or pressure vessel is being built, installed, or operated for the purpose of ascertaining whether such boiler or pressure vessel is built, ~~installed~~ installed, or operated in accordance with the provisions of this ~~Article;~~ Article.
- (10) To investigate serious accidents involving boilers and pressure vessels to determine the causes of ~~such accident(s);~~ the accidents, and ~~he shall to~~ have full subpoena powers in conducting ~~said investigation;~~ the investigation.
- (11) To establish reasonable fees for the inspection and issuance of inspection certificates for boilers and pressure ~~vessels;~~ vessels.
- (12) To establish reasonable fees for the examination and certification of ~~inspectors;~~ inspectors.
- (13) To appoint qualified individuals to the Board of Boiler and Pressure Vessel Rules.
- (14) To perform inspections and audits relating to the construction and repair of boilers and pressure vessels and to establish and collect fees for these activities."

Sec. 4. G.S. 95-69.16 reads as rewritten:

"§ 95-69.16. ~~Inspections; report, certificates, fees.~~ Inspection certificate required.

(a) -All boilers and pressure vessels subject to the provisions of this Article shall be inspected by an authorized ~~inspector, as set out in G.S. 95-69.15, at such intervals and by such methods as the Commissioner may from time to time prescribe by regulation.~~ inspector. The Commissioner may determine both the frequency and the method of inspection. In determining the frequency ~~with which various categories of~~

1 boiler and pressure vessels shall be inspected, of inspection, the Commissioner shall
2 give due consideration to the hazard involved and the need for the protection of the
3 public. ~~Methods~~ The method of inspection must provide an adequate procedure to
4 insure the safety of individuals likely to be injured by an explosion or accident
5 involving a boiler or pressure vessel.

6 (b) ~~Upon completion of an inspection the authorized inspector shall file a report~~
7 ~~on the suitability of the boiler or pressure vessel inspected with the Director. The~~
8 ~~inspector shall attach the fee paid for the inspection to his report.~~

9 (c) ~~Upon receipt of the inspector's report and fee, the Director shall determine~~
10 ~~whether or not a boiler or pressure vessel is in compliance with the rules and regulations~~
11 ~~adopted under this Article. If the Director determines it is in compliance he shall issue~~
12 ~~an inspection certificate authorizing use of the boiler or pressure vessel. When the~~
13 ~~Director determines a boiler or pressure vessel is not in compliance, he shall so notify~~
14 ~~the owner or user within 10 working days. No~~

15 No boiler or pressure vessel may be operated without an inspection certificate,
16 except pressure vessels being operated under an owner-user provision where
17 administrative procedures of equal safety and competency have been approved by the
18 Board and Commissioner. No more than 60 days grace period may be granted beyond
19 the certificate expiration date. ~~An individual whose boiler or pressure vessel is found in~~
20 ~~noncompliance may appeal that determination to the Commissioner within 30 days after~~
21 ~~notification of the decision is received."~~

22 Sec. 5. G.S. 95-69.17(b) reads as rewritten:

23 "(b) A final decision to deny an application for a certificate of competency or to
24 refuse to issue or renew an inspection certificate shall be made in accordance with
25 Chapter 150B of the General Statutes. In a contested case under this subsection, the
26 decision of the ~~Board or~~ Director shall not be stayed pending administrative review."

27 Sec. 6. This act is effective upon ratification.